

Mon-Droguiste.Com

39 Bis Rue Du Moulin Rouge 10150 Charmont Sous Barbuise <u>Tél</u>: +33.(0)3.25.41.04.05 <u>Email</u>: contact@mon-droguiste.com <u>Web</u>: www.mon-droguiste.com

SAFETY DATA SHEET ACETIC ACID 50 - <80%

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ACETIC ACID 50 - <80%

Synonyms; trade names VINEGAR ACID, ETHANOIC ACID, METHANE CARBOXYLIC ACID, ACETIC ACID FG 70%

SOL, ACETIC ACID PURE 70% SOL, ACETIC ACID 50% SOLUTION, ACETIC ACID 60% SOLUTION, ACETIC ACID FG 60%, ACETIC ACID 60% SOL, ACETIC ACID 60% SOL, ACETIC ACID 74.5% TP, ACETIC ACID 65%, ACETIC ACID 65% T, ACETIC ACID 65% GMP+, ACETIC ACID 70% GMP+, ACETIC ACID 74.5%, ACETIC ACID 75%, ACETIC ACID 79%, ACETIC ACID PURE 79%, ACETIC ACID 80% V SOL, ACETIC ACID 74.9% SOL, ACETIC ACID PURE 80%, ACETIC ACID 80%, ACETIC ACID 80% T, ACETIC ACID 80% GMP, ACETIC ACID 75% (80%V) SOL, ACETIC ACID PURE 60% SOL, ACETIC ACID

PURE 60% SOL CS

REACH registration number 01-2119475328-30-XXXX

CAS number 64-19-7

EU index number 607-002-00-6 **EC number** 200-580-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical pH control Intermediate for food or cosmetics For further information, see attached

Exposure Scenario.

1.3. Details of the supplier of the safety data sheet

Supplier



Mon-Droguiste.Com

39 Bis Rue Du Moulin Rouge 10150 Charmont Sous Barbuise <u>Tél</u>: +33.(0)3.25.41.04.05 <u>Email</u>: contact@mon-droguiste.com Web: www.mon-droguiste.com

1.4. Emergency telephone number

Emergency telephone SGS - +32 (0)3 575 55 55 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Corr. 1B - H314 Eye Dam. 1 - H318

ACETIC ACID 50 - <80%

Environmental hazards Not Classified

2.2. Label elements

EC number 200-580-7

Hazard pictograms



Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

Precautionary statements P260 Do not breathe vapour/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.1. Substances

Product name ACETIC ACID 50 - <80%

REACH registration number 01-2119475328-30-XXXX

EU index number 607-002-00-6

CAS number 64-19-7

EC number 200-580-7

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Rinse mouth thoroughly with water. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Give plenty of water to

drink. Get medical attention.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Get medical

attention if any discomfort continues.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue

to rinse.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Gas or vapour in high concentrations may irritate the respiratory system.

ACETIC ACID 50 - <80%

Ingestion May cause chemical burns in mouth and throat.

Skin contact Causes severe burns.

Eye contact Causes serious eye damage. May cause permanent damage if eye is not immediately

irrigated.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

vapours.

products

5.3. Advice for firefighters

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of spray mist and contact with skin and eyes. Provide adequate ventilation.

Follow precautions for safe handling described in this safety data sheet

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the

Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with inert, damp, non-combustible material. Flush contaminated area with

plenty of water. Collect and place in suitable waste disposal containers and seal securely. For

waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with skin and eyes. Avoid the formation of mists. Provide adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep

separate from food, feedstuffs, fertilisers and other sensitive material. Keep out of the reach of

children.

Storage class Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Ingredient comments No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment







Eye/face protection The following protection should be worn: Chemical splash goggles or face shield. Personal

protective equipment for eye and face protection should comply with European Standard

EN166.

Hand protection The most suitable glove should be chosen in consultation with the glove

supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Butyl rubber. Thickness: 0.7 mm To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body

protection

Wear suitable protective clothing as protection against splashing or contamination.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator

fitted with the following cartridge: Combination filter, type A2/P3. EN 136/140/141/145/143/149

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Colourless.

Odour Characteristic.

Odour threshold No information available.

pH (diluted solution): 2.5 @ 2%

Melting point <-5°C

Initial boiling point and range > 100°C @ 760 mm Hg

Flash point > 61°C

Evaporation rate No information available.

Evaporation factor No information available.

Flammability (solid, gas) No information available.

Upper/lower flammability or

explosive limits

Upper flammable/explosive limit: 17.0 % Lower flammable/explosive limit: 5.4 %

Other flammability No information available.

Vapour pressure 15.7 mbar

Vapour density No information available.

ACETIC ACID 50 - <80%

Relative density 1.01 - 1.07 @ 20°C

Bulk density No information available.

Solubility(ies) Soluble in water.

Partition coefficient log Pow: -0.31

Auto-ignition temperature 427°C

Decomposition Temperature No information available.

Viscosity No information available.

Explosive properties No information available.

Explosive under the influence

of a flame

No information available.

No information available.

Oxidising properties Not available.

9.2. Other information

Other information Not determined.

Refractive index No information available.

Particle size No information available.

Molecular weight No information available.

Volatility No information available.

Critical temperature No information available.

Volatile organic compound No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Saturation concentration

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

Not determined.

reactions

products

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis. Strong oxidising agents. Strong reducing agents. Alcohols,

glycols.

10.6. Hazardous decomposition products

Hazardous decomposition Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours.

SECTION 11: Toxicological information

ACETIC ACID 50 - <80%

11.1. Information on toxicological effects

Skin corrosion/irritation

Extreme pH Corrosive to skin.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation No specific test data are available.

Skin sensitisation

Skin sensitisation No specific test data are available.

Germ cell mutagenicity

Genotoxicity - in vitroNo specific test data are available.

Carcinogenicity

Carcinogenicity No specific test data are available.

Reproductive toxicity

Reproductive toxicity - fertility No specific test data are available.

Specific target organ toxicity - single exposure

STOT - single exposure No specific test data are available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No specific test data are available.

Aspiration hazard

Aspiration hazard Not available.

Inhalation May cause respiratory irritation.

IngestionCauses burns.Skin contactCauses burns.

Eye contact Causes serious eye damage. Severe irritation, burning and tearing.

SECTION 12: Ecological information

Ecotoxicity The product components are not classified as environmentally hazardous. However, this does

not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. The product may affect the acidity (pH) of water which may have

hazardous effects on aquatic organisms.

12.1. Toxicity

Toxicity Not considered toxic to fish.

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 75 mg/l, Fish

12.2. Persistence and degradability

Persistence and degradability The product is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient log Pow: -0.31

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Cod 1.07

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Do not puncture or incinerate, even when empty. Waste is classified as hazardous waste.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

General Wear protective clothing as described in Section 8 of this safety data sheet.

14.1. UN number

UN No. (ADR/RID) 2790 UN No. (IMDG) 2790

UN No. (ICAO) 2790

UN No. (ADN) 2790

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

ACETIC ACID SOLUTION

Proper shipping name (IMDG) ACETIC ACID SOLUTION

Proper shipping name (ICAO) ACETIC ACID SOLUTION

Proper shipping name (ADN) ACETIC ACID SOLUTION

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C3

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group II
IMDG packing group II
ICAO packing group II
ADN packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-A, S-B

ADR transport category 2

Emergency Action Code •2R

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

80

Transport in bulk according to Not determined. Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Restrictions (Annex XVII Regulation 1907/2006)

This product is/contains a substance that is included in REGULATION (EC) No 1907/2006 (REACH) ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND

ARTICLES. Entry number: 3

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

EINECS

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

CAS: Chemical Abstracts Service.

DNEL: Derived No Effect Level.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods.

Kow: Octanol-water partition coefficient.

LC₅o: Lethal Concentration to 50 % of a test population.

LD₅o: Lethal Dose to 50% of a test population (Median Lethal Dose).

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006.

RID: European Agreement concerning the International Carriage of Dangerous Goods by

Rail.

vPvB: Very Persistent and Very Bioaccumulative.

IARC: International Agency for Research on Cancer.

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978.

cATpE: Converted Acute Toxicity Point Estimate.

BCF: Bioconcentration Factor.

BOD: Biochemical Oxygen Demand.

EC₅o: 50% of maximal Effective Concentration.

LOAEC: Lowest Observed Adverse Effect Concentration.

LOAEL: Lowest Observed Adverse Effect Level.

NOAEC: No Observed Adverse Effect Concentration.

NOAEL: No Observed Adverse Effect Level. NOEC: No Observed Effect Concentration.

LOEC: Lowest Observed Effect Concentration.

DMEL: Derived Minimal Effect Level.

EL50: Exposure Limit 50

hPa: Hectopascal

LL50: Lethal Loading fifty

OECD: Organisation for Economic Co-operation and Development

POW: Octanol-water partition coefficient SCBA: self-contained breathing apparatus

STP: Sewage Treatment Plant VOC: Volatile Organic Compounds

Classification abbreviations

Acute Tox. = Acute toxicity

and acronyms

Aquatic Acute = Hazardous to the aquatic environment (acute)
Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Key literature references and

sources for data

Supplier's information.

Classification procedures according to Regulation (EC)

Skin Corr. 1B - H314: Calculation method. Eye Dam. 1 - H318: Calculation method.

1272/2008

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 24/03/2022

Version number 3.001

Supersedes date 08/11/2019

SDS number 22889

SDS status Approved.

Hazard statements in full H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Signature Jitendra Panchal

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.