According to regulation (EC) No. 1907/2006 (REACH)



				Page	1	
Revise	d edition: 20.12.2017		Version: 1.2	Printed:	05.04.2019	
1.	Identification of the	Substance/M	ixture and of the Company/Underta	aking		
1. 1.	Product Identifier					
	Product Name:		Dispersion K 500			
1. 2.	Relevant identified Uses o	the Substance or	Mixture and Uses advised against			
	Identified uses:					
			Raw material Industrial application			
	Uses advised against:					
1. 3.	Details of the Supplier of t	ne Safety Data She	eet (Producer/Importer)			
	Company: Loisircreatif.net					
	Address: 39 Bis Rue Du Moulin Rouge - 10150 Charmont Sous Barbuise					
	Tel.:	Tel +33 3 25 41 04 05				
	Internet:	Internet: www.loisircreatif.net				
	EMail:	contact@loi	sircreatif.net			
1. 4.	Emergency No.					
	Emergency No.:	ORFILA : 01	1 45 42 59 59 - SAMU : 15 - Pompiers : 1	8 - Médecins d	e aarde : 15	
2.	Hazards Identification					
2. 1.	Classification of the Subst					
	Classification according	to Regulation				
	(EC) No. 1272/2008 (C		This product does not require classifica	ation and lahell	ina as	
			hazardous according to CLP/GHS.		ing as	
	Possible Environmental	Effects:				
2. 2.	Label Elements					
	Classification according					
	(EC) No. 1272/2008 (C	_P/GHS)	This product does not require classifica	ation and labell	ina as	
			hazardous according to CLP/GHS.		0	
	Hazard designation:					
	-		Not applicable.			
	Signal word:					
	Hazard designation: El	JH208	May produce an allergic reaction.			
	Safety designation:					
	Hazardous components	for labelling:				
2. 3.	Other Hazards		EUH208: contains 1,2-Benzisolthiazol-	-3(2H)-one. Cai	n cause	
			allergic reactions.	. , -		

According to regulation (EC) No. 1907/2006 (REACH)



2

Page

Revise	d edition: 20.12.2017	Version: 1.2	Printed: 05.04.2019	
3.				
3. 1.	Substance			
3. 2.	Mixture			
	Chemical Characterization:	Aqueous dispersion of a thermoplast	ic acrylic polymer.	
	Information on Components / Hazardous Ingredients:			
	Additional information:			
4.	First Aid Measures			
4. 1.	Description of the First Aid Measures			
	General information:	Remove contaminated clothes.		
	After inhalation:	Supply fresh air.		
	After skin contact:			
		Remove contaminated clothing. Wash off immediately with soap and thoroughly.	plenty of water and rinse	
	After eye contact:			
		Rinse open eye for several minutes u irritation continue, seek medical advi		
	After ingestion:			
		Do NOT induce vomiting. Consult a c	doctor.	
4. 2.	Most important Symptoms and Effects, both Acute and Delayed			
	Symptoms:	Swallowing: may cause stomach irrit	ation, nausea, vomiting and	
		Prolonged or repeated contact can ir	ritate eyes and skin.	
	Effects:			
4. 3.	Indication of any Immediate Medical Attention	and special Treatment needed		
	Treatment:			
		No further information available.		
5.	Fire-Fighting Measures			
5. 1.	Extinguishing Media			
	Suitable extinguishing media:			
		Product itself does not burn. Use extinguishing media for surround	ding fire.	
	Unsuitable extinguishing media:			
5. 2.	Special Hazards arising from the Substance o	r Mixture		
	Special hazards:	In case of fire: hazardous gases/vap	ors may be released. next page: 3	

According to regulation (EC) No. 1907/2006 (REACH)



Revised	d edition: 20.12.2017	Version: 1.2	Page 3 Printed: 05.04.2019
5. 3.	Advice for Firefighters		
	Protective equipment:		
		Wear self-contained respiratory protect	tive device.
	Further information:		
		Avoid contamination of sewage system ground water.	ı, open water ways and
6.	Accidential Release Measures		
6. 1.	Personal Precautions, Protective Equipment	and Emergency Procedures	
	Personal precautions:		
		Wear appropriate protective equipmen	t. Keep spectators away.
6. 2.	Environmental Precautions		
	Environmental precautions:		
		Prevent contamination of soils, drains a	
		Risk of clogging in case of polymer pre	ecipitation.
6. 3.	Methods and Material for Containment and 0	Cleaning Up	
	Methods and material:		distances and south solid
		Contain with absorbent material (sand, binder, universal absorbent, saw dust)	
6. 4.	Reference to other Sections		
		Protective clothing, see Section 8.	
7.	Handling and Storage		
7. 1.	Precautions for Safe Handling		
	Instructions on safe handling:		
		Avoid contact with eyes, skin and cloth	ning.
		Provide adequate ventilation.	
	Hygienic measures:		
		Do not eat or drink during work. Do not	t smoke.
7. 2.	Conditions for Safe Storage, including any l	ncompatibilities	
	Storage conditions:		
		Store in a cool and dry place. Protect from frost.	
	Requirements for storage areas and containers:		
		Store the product in the original contain	ner.
	Information on fire and explosion protection:		
		No special measures necessary.	
	Storage class:		
		12; Non-combustible liquids	
	Further Information:		
		Storage temperature: 5 - 35°C	

According to regulation (EC) No. 1907/2006 (REACH)

Dispersion K 500



			Page	4
Revise	d edition: 20.12.2017	Version: 1.2	Printed: 05.04.2	2019
7. 3.	Specific End Use(s)			
	Further information:			
		The technical guidelines for the ap should be followed.	oplication of this product/mixt	ture
8.	Exposure Controls/Personal Pro	otection		
8. 1.	Parameters to be Controlled			
	Parameters to be controlled (DE):			
	· · · ·	TRGS 900		
		Ammonium solution (CAS 1336-2	1-6):	
		AGW: 14 mg/m3, 20 ppm; STEL:	28 mg/m3, 40 ppm	
	Parameters to be controlled:			
		Ammonium solution, CAS 1336-2		
		TWA: 14 mg/m3, 20 ppm; STEL: VLEP/GWBB (BE); TLV-TWA (US ppm, 7 mg/m3; STEL: 14 mg/m3, mg/m3, 25 ppm; STEL: 24 mg/m3 STEL: 28 mg/m3 (NDS (PL)); STE 17 mg/m3, 25 ppm (PEL (MY); TV (AK (HU))	SA, İT, GR); VLA (ES); TWA: 20 ppm (VLEP (FR)); TWA: ; 35 ppm (OEL (ZA), EH40 (EL: 36 mg/m3 (MAC (NL)); T	10 17 UK) WA:
	Derived No-Effect Level (DNEL):			
		Ammonium solution (1336-21-6):		
		68 mg/kg (worker, skin contact, si systemic effects)	nort/long-term exposition,	
		47.6 mg/m3 (worker, inhalation, lo systemic effects)	ng/short-term exposition -	
		36 mg/m3 (worker, inhalation, sho	ort-term exposition - local effe	ect)
		14 mg/kg (worker, inhalation, long		
		68 mg/kg (consumer, skin contac systemic)	, short and long-term exposit	tion,
		23.8 mg/m3 (consumer, inhalatior - systemic)	n, short and long-term exposi	ition
		6.8 mg/m3 (consumer, swallowing - systemic)	, short and long-term exposi	ition
		7.2 mg/m3 (consumer, inhalation, effect)	short-term exposition - local	1
		2.8 mg/kg (consumer, inhalation,	long-term exposition, local ef	ffect
	Predicted No-Effect Concentration (PNEC):			
	· · · ·	Ammonium solution (1336-21-6):		
		Fresh water / Seawater: 0.0011 m	ig/l	
		Sporadic release: 0.0068 mg/l		
	Additional Information:			
8. 2.	Exposure Controls			
	Technical protective measures:			
		Ensure adequate ventilation, espe	cially in confined areas.	

Ensure adequate ventilation, especially in confined areas. Suitable exhaust system required when product is heated. Facilities storing or utilizing this material should be equipped with

According to regulation (EC) No. 1907/2006 (REACH)



			Page 5
Revise	d edition: 20.12.2017	Version: 1.2	Printed: 05.04.2019
		an eyewash facility.	
	Personal Protection		
	General protective measures:	The usual precautionary measu handling chemicals. Avoid contact with eyes and sk	ures are to be adhered to when in
		Remove contaminated clothing	
	Respiratory protection:	Not required.	
	Hand protection:		
		Protective gloves should be cha intensive contact with the produ	anged regularly, especially after uct.
	Protective glove material:		
		frequency and duration of conta) ove is dependent on usage, e.g. act, chemical resistance of glove seek advice from glove suppliers.
	Eye protection:		
		Safety glasses (EN 166)	
	Body protection:		
		Protective clothing.	
	Environmental precautions:	Avoid contamination of sewage ground water.	e system, open water ways and
9.	Physical and Chemical Proper	ties	
9. 1.	Information on Basic Physical and Chem	ical Properties	
	Form:	liquid	
	Color:	milky white	
	Odor:	ester-like	
	Odor threshold:		
		No information available.	
	pH-Value:	9.5 - 10 (20°C)	
	Melting temperature:	not determined	
	Boiling temperature:	not determined	
	Flash point:	not applicable	
	Evaporation rate:	No information available.	
	Flammability (solid, gas):	not applicable	next page: 6

According to regulation (EC) No. 1907/2006 (REACH)

Loisir Créatif

Revised	l edition: 20.12.2017	Version: 1.2	Page rinted:	05.04.201
	Upper explosion limit:			
		no information available		
	Lower explosion limit:			
	N/	no information available		
	Vapor pressure:	ca. 23 hPa (20°C)		
	Vapor density:	No information available.		
	Density:	ca. 1.07 g/cm3		
	Solubility in water:	miscible		
	Coefficient of variation (n-			
	Octanol/Water):			
		no information available		
	Auto-ignition temperature:	No information available.		
	Decomposition temperature:			
	Decomposition temperature.	No decomposition if used according to specific	ations.	
	Viscosity, dynamic:	1100 - 4500 mPa.s (20°C)		
	Explosive properties:			
		not available		
	Oxidizing properties:			
		no information available		
	Bulk density:	not applicable		
9. 2.	Further Information			
	Solubility in solvents:			
	Viscosity, kinematic			
	Burning class:			
	Solvent content:			
	Solid content:			
	Particle size:			
	Other information:			
		No further information.		
10.	Stability and Reactivity			
0.1.	Reactivity			
0.2.	Chemical Stability	No decomposition if used according to specific	ations.	
U.Z.	onennuai olability	The product is stable.		
0.3.	Possibility of Hazardous Reactions			
		None if handled and stored according to specif		s. kt page:

According to regulation (EC) No. 1907/2006 (REACH)



			Page		7
Revise	d edition: 20.12.2017 Conditions to Avoid	Version: 1.2	Printed:	05.04.2	019
10.4.					
	Conditions to avoid:	Protect from frost, heat and direct sunlight.			
	Thermal decomposition:	,			
	·····	Avoid heat.			
10.5.	Imcompatible Materials				
		No information available.			
10.6.	Hazardous Decomposition Products	None if handled according to specifications.			
10.7.	Further Information				
11.	Toxicological Information				
11. 1.	Information on Toxicological Effects				
	Acute Toxicity				
	LD50, oral:	> 5000 mg/kg (rat)			
	LD50, dermal:				
		not determined			
	LC50, inhalation:				
		not determined			
	Primary effects				
	Irritant effect on skin:	No information available			
	Irritant effect on eyes:				
	innan choci on cycs.	No information available.			
	Inhalation:				
		No information available.			
	Ingestion:				
		No information available			
	Sensitization:	No relevant data found.			
	Mutagenicity:				
	matagemeny.	No relevant data found.			
	Reproductive toxicity:				
		No relevant data found.			
	Carcinogenicity:				
		No relevant data found.			
	Teratogenicity:	No information available.			
	Specific target organ toxicity (STOT):				
		No relevant data found.			
	Additional toxicological information:				_
			nex	xt page:	8

According to regulation (EC) No. 1907/2006 (REACH)



Revised	edition: 20.12.2017	Version: 1.2	Page 8 Printed: 05.04.2019
12.	Ecological Information		
12. 1.	Aquatic Toxicity		
		No information available.	
	Fish toxicity:		
	Daphnia toxicity:		
	Bacteria toxicity:		
	Algae toxicity:		
12. 2.	Persistency and Degradability		
		98 % (OECD 302B) Can be eliminated from water by	, chamical adsorption
12. 3.	Bioaccumulation	Can be emminated norn water by	r chemical ausorption.
12. 0.	Diodocamatation	Bioaccumulation is not to be exp	pected.
12. 4.	Mobility		
		No information available.	
12. 5.	Results of PBT- und vPvP Assessment	This product is neither a PBT or	vPvR substance por does it
		contain a PBT or vPvB substance	
12. 6.	Other Adverse Effects		
	Water hazard class:		
	Behaviour in sewage systems:		
	Further ecological effects:		
		No ecological data available.	
	AOX Value:		
13.	Disposal Considerations		
13. 1.	Waste Treatment Methods		
	Product:		lations, product may be taken to an
	European Maste Osda (EMO):	incineration plant.	
	European Waste Code (EWC):		
	Uncleaned packaging:	Dispose of according to official l	ocal regulations
	Waste Code No.:		
14.	Transport Information		
14. 1.	UN Number		
	ADR, IMDG, IATA		
14. 2.	UN Proper Shipping Name		
	ADR/RID:		
		No hazardous goods according	to ADR (land transportation).
	IMDG/IATA:		
		No hazardous goods according	to IMDG. next page: 9

According to regulation (EC) No. 1907/2006 (REACH)



Paviaco	d edition: 20.12.2017	Version: 1.2	Page Printed:	05.04.201
14. 3.	Transport Hazard Classes		Filited.	05.04.20
	ADR Class:			
		not applicable		
	Hazard no.:			
	Classification code:			
	Tunnel restriction code:			
	IMDG Class (sea):			
	Hazard no.:			
	EmS No.:			
	IATA Class:			
		not applicable		
	Hazard no.:			
14. 4.	Packaging Group			
	ADR/RID:			
		not applicable		
	IMDG:			
14. 5.	Environmental Hazards	None		
14. 6.	Special Precautions for User			
		Not classified as a dangerous good un	der transport re	egulations.
14.7.	Transportation in Bulk according to Annex II			
14. 8.	Further Information	not applicable		
15.	Regulatory Information			
15. 1.	Safety, Health and Environmental Regulations	s/Legislation specific for the Substance or Mix	ture	
	Water hazard class:	.		
		1, slightly hazardous for water (Germa	n Regulation, A	ssessment
		by list)		
	Local regulations on chemical accidents			
	Employment restrictions:			
	Restriction and prohibition of application	:		
	Technical instructions on air quality:			
15. 2.	Chemical Safety Assessment	A Chemical Safety Assessment is not i	necessary for t	his product
15. 3.	Further Information			
16.	Other Information			
		This product should be stored, handled with good hygiene practices and in con		

According to regulation (EC) No. 1907/2006 (REACH)



10

Page

Printed: 05.04.2019

Dispersion K 500

Revised	edition:	20.12.2017

Version: 1.2

regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.