According to regulation (EC) No. 1907/2006 (REACH)

Dispersion Acronal® 500 D



Page 1

Revised edition: 20.05.2025 Version: 7.3 Printed: 25.08.2025

1. Identification of the Substance/Mixture and of the Company/Undertaking

1. 1. Product Identifier

Product Name: Dispersion Acronal® 500 D

UFI: --

1. 2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:

Raw material for industrial purposes

Uses advised against:

1. 3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Mon-Droguiste.Com

Address: 39 Bis Rue Du Moulin Rouge - 10150 Charmont Sous Barbuise - France

Tel./Fax.: +33.(0)3.25.41.04.05

Internet: www.mon-droguiste.com

EMail: contact@mon-droguiste.com

Importer:

1. 4. Emergency No.

Emergency No.: SAMU: 15 - Pompiers: 18 - ORFILA: 01 45 42 59 59

1. 4. 2 Poison Center:

2. Hazards Identification

2. 1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as

hazardous according to CLP/GHS.

Possible Environmental Effects:

2. 2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as

hazardous according to CLP/GHS.

Hazard designation:

Not applicable.

Signal word:

Hazard designation:

EUH208 May produce an allergic reaction.

Safety designation:

Hazardous components for labelling:

2. 3. Other Hazards

Contains a mixture of 5-Chloro-2-methylisothiazolin-3(2H)-one and next page: 2

According to regulation (EC) No. 1907/2006 (REACH)

Dispersion Acronal® 500 D



Page 2

Revised edition: 20.05.2025 Version: 7.3 Printed: 25.08.2025

2-Methylisothiazol-3(2H)-one (3:1), 2-Methylisothiazolin-3(2H)-one: can cause allergic reactions.

3. Composition/Information on Ingredients

3. 1. Substance

3. 2. Mixture

Chemical Characterization: Aqueous dispersion of a thermoplastic acrylic polymer based on:

acrylic-acid ester and vinyl ester.

Information on Components / Hazardous

Ingredients:

Additional information:

4. First Aid Measures

4. 1. Description of the First Aid Measures

General information:

Remove contaminated clothes.

After inhalation:

Supply fresh air and keep patient calm.

After skin contact:

Remove contaminated clothing. Wash off immediately with plenty

of water and soap.

After eye contact:

Rinse open eyes with plenty of water for at least 15 minutes.

Consult physician.

After ingestion:

Rinse mouth and give 200 - 300 ml of water to drink.

Do not induce vomiting without medical advice.

4. 2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

No further information available.

4. 3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

Symptomatic treatment (decontamination, vital functions), no specific antidote known.

5. Fire-Fighting Measures

5. 1. Extinguishing Media

Suitable extinguishing media:

Foam, carbon dioxide (CO2), extinguishing powder, water spray

jet.

Unsuitable extinguishing media:

5. 2. Special Hazards arising from the Substance or Mixture

Special hazards:

According to regulation (EC) No. 1907/2006 (REACH)

Dispersion Acronal® 500 D



Page 2

Revised edition: 20.05.2025 Version: 7.3 Printed: 25.08.2025

No special hazards.

5. 3. Advice for Firefighters

Protective equipment:

No special measures required.

Further information:

Contaminated extinguishing water and debris should be disposed

of according to local regulations.

Not combustible.

6. Accidential Release Measures

6. 1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Wear protective clothing.

Avoid contact with eyes and skin.

6. 2. Environmental Precautions

Environmental precautions:

Prevent contamination of soil, drains and surface waters.

6. 3. Methods and Material for Containment and Cleaning Up

Methods and material:

Larger amounts should be pumped into adequate containers.

Contain with absorbent material (sand, diatomaceous earth, acid binder, universal absorbent, saw dust) and dispose accordingly.

6. 4. Reference to other Sections

Protective clothing, see Section 8.

See Section 13 for information on disposal.

7. Handling and Storage

7. 1. Precautions for Safe Handling

Instructions on safe handling:

The usual precautionary measures are to be adhered to when

handling chemicals.

Hygienic measures:

No further measures, see Section 8.

7. 2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Protect from frost.

Requirements for storage areas and

containers:

When stored over a longer period of time it is possible that small

amounts of carbon monoxide can be formed.

Ventilate containers properly.

Information on fire and explosion

protection:

No special measures necessary.

Storage class:

According to regulation (EC) No. 1907/2006 (REACH)

Dispersion Acronal® 500 D



Page 2

Revised edition: 20.05.2025 Version: 7.3 Printed: 25.08.2025

12; Non-combustible liquids (TRGS 510)

Further Information:

Storage temperature: 5 - 60°C

7. 3. Specific End Use(s)

Further information:

No information available.

8. Exposure Controls/Personal Protection

8. 1. Parameters to be Controlled

Parameters to be controlled (DE):

none known

Parameters to be controlled:

Derived No-Effect Level (DNEL):

Predicted No-Effect Concentration

(PNEC):

Additional Information:

8. 2. Exposure Controls

Technical protective measures:

No further measures, see Section 7.

Personal Protection

General protective measures:

Keep away from foodstuffs and drinks. Do not eat, drink or smoke during work. Wash hands before breaks and at the end of work.

Respiratory protection:

Not required.

Hand protection:

Chemical protective gloves (EN 374 (Europe), F739 (US)).

Protective glove material:

Recommended: Protective index 6, > 480 min. of permeation time

accord. EN 374.

Nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinyl

chloride (0.7 mm).

Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material and dexterity. Always seek advice from glove suppliers.

Eye protection:

Safety glasses with protective shields (EN 166).

Body protection:

Environmental precautions:

9. Physical and Chemical Properties

9. 1. Information on Basic Physical and Chemical Properties

Form: liquid

According to regulation (EC) No. 1907/2006 (REACH)

Dispersion Acronal® 500 D



Page 2

Revised edition: 20.05.2025 Version: 7.3 Printed: 25.08.2025

Color: white

Odor: weak

Odor threshold:

no information available

pH-Value: 3.5 - 4.7 (DIN ISO 976)

Melting temperature: 0°C (H2O)

Boiling temperature: 100°C (H2O)

Flash point:

not applicable

Evaporation rate:

No information available.

Flammability (solid, gas):

not flammable

Upper explosion limit:

no information available

Lower explosion limit:

no information available

Vapor pressure: 23.4 hPa (20°C)

Vapor density:

No information available.

Density: ca. 1.06 g/cm3 (20°C)

Solubility in water: partly soluble (15°C)

Coefficient of variation (n-

Octanol/Water):

not applicable

Auto-ignition temperature:

Product is not auto-ignitable.

Decomposition temperature:

No decomposition if used according to specifications.

Viscosity, dynamic: 45 - 100 mPa.s (23°C)

15 - 35 mPa.s (23°C, 250 1/s)

Explosive properties:

Product does not present an explosion hazard.

Oxidizing properties:

not oxidizing

Bulk density:

not applicable

9. 2. Further Information

Solubility in solvents:

According to regulation (EC) No. 1907/2006 (REACH)

Dispersion Acronal® 500 D



Page 2 Revised edition: 20.05.2025 Version: 7.3 Printed: 25.08.2025 Viscosity, kinematic: Burning class: Solvent content: Solid content: 49 - 51 % (DIN EN ISO 3251) Particle size: Other information: Self-heating ability: This product is not self-heating. Miscibility with water: miscible 10. Stability and Reactivity 10.1. Reactivity Stable if used according to specifications. 10.2. **Chemical Stability** Stable if used according to specifications. 10.3. **Possibility of Hazardous Reactions** None if handled and stored according to specifications. Small amounts of carbon oxide can be formed when stored over longer period of time. 10.4. **Conditions to Avoid** Conditions to avoid: Avoid extreme temperatures. Thermal decomposition: 10.5. **Imcompatible Materials** No information available. 10.6. **Hazardous Decomposition Products** None if stored and handled according to specifications. **Further Information** 10.7. 11. **Toxicological Information** 11.1. Information on Toxicological Effects Acute Toxicity Practically not toxic after a single oral exposure.

LD50, oral: > 2000 - 10000 mg/kg (rat)

LD50, dermal:

No information available.

LC50, inhalation:

No information available.

Primary effects

Irritant effect on skin:

Non irritating (rabbit; OECD 404)

Slight skin irritation possible when product dries on skin.

Irritant effect on eyes:

12.3.

Bioaccumulation

According to regulation (EC) No. 1907/2006 (REACH)

Dispersion Acronal® 500 D



Page 2

Revised edition: 20.05.2025 Version: 7.3 Printed: 25.08.2025 Non-irritating to eyes (rabbit; OECD 405) Inhalation: No information available. Ingestion: No information available Sensitization: No sensitizing effects known. Mutagenicity: No mutagenic effects known. Reproductive toxicity: No negative effects known. Carcinogenicity: No cancerogenic effect known. Teratogenicity: No information available. Specific target organ toxicity (STOT): Single exposure: no organospecific toxicity expected. Repeated exposure: No adverse effects were observed after repeated inhalative exposure in animal studies. Additional toxicological information: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. 12. **Ecological Information** 12. 1. **Aquatic Toxicity** Not hazardous for aqueous organisms. Controlled release of small amounts of product in biological sewage system do not cause disorders of the biodegradablity of activated sludge. Fish toxicity: LC50: > 100 mg/l (96h, Danio rerio; OECD 203) Daphnia toxicity: EC50: > 100 mg/l (48h, Daphnia magna; OECD 202) Bacteria toxicity: EC20: > 100 mg/l (0.5h, active sludge; OECD 209) Algae toxicity: EC50: > 100 mg/l (72h, Scenedesmus subspicatus; OECD 201) 12. 2. Persistency and Degradability Can be eliminated from water by chemical adsorption. Readily biodegradable (> 70 %, OECD 302B)

available.

Based on its structural properties, the polymer is not biologically

Accumulation in organisms is not to be expected.

According to regulation (EC) No. 1907/2006 (REACH)

Dispersion Acronal® 500 D



2 Page Revised edition: 20.05.2025 Version: 7.3 Printed: 25.08.2025 12. 4. Mobility No information available. 12. 5. Results of PBT- und vPvP Assessment This product is neither a PBT or vPvB substance nor does it contain a PBT or vPvB substance. 12.6. Other Adverse Effects Water hazard class: Do not let product contaminate ground water, waterways or sewage system. Behaviour in sewage systems: No impairment of the biodegradability of active sludge expected when small amounts are discharged in biological sewage plants. Further ecological effects: Do not release untreated into natural waters. At the present state of knowledge, no negative ecological affects are expected. AOX Value: No data available. 13. **Disposal Considerations** 13. 1. **Waste Treatment Methods** Product: In accordance with current regulations, product may be taken to a waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority. European Waste Code (EWC): The waste code is determined according to the kind of waste and industry stated in the European Waste Catalogue. Uncleaned packaging: Waste Code No.: 14. **Transport Information** 14. 1. **UN Number** ADR, IMDG, IATA 14. 2. **UN Proper Shipping Name**

14. 3. Transport Hazard Classes

ADR Class:

IMDG/IATA:

ADR/RID:

not applicable

transportation).

Not hazardous goods

No hazardous goods according to ADR / DOT (US) (land

Hazard no .:

Classification code:

According to regulation (EC) No. 1907/2006 (REACH)

Dispersion Acronal® 500 D



Page 2

Revised edition: 20.05.2025 Version: 7.3 Printed: 25.08.2025 Tunnel restriction code: IMDG Class (sea): not applicable Hazard no.: EmS No .: IATA Class: not applicable Hazard no .: 14. 4. **Packaging Group** ADR/RID: not applicable IMDG: IATA: 14. 5. **Environmental Hazards** None 14. 6. **Special Precautions for User** Not classified as a dangerous good under transport regulations. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code 14. 7. 14.8. **Further Information** 15. **Regulatory Information** 15. 1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture Water hazard class: 1, slightly hazardous for water (according to the German Regulation AwSV) Local regulations on chemical accidents: Not listed. Employment restrictions: The employment restrictions for young workers in accordance with the Youth Employment Protection Law are to be observed. Restriction and prohibition of application: Technical instructions on air quality: 15. 2. **Chemical Safety Assessment** A Chemical Safety Assessment is not necessary for this product.

16. Other Information

Further Information

15.3.

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.